## **CLAIMS**

1	A method in a computing system for providing targeted advertising
2	messages, comprising:
3	reading a targeting plan, the targeting plan specifying:
4	test groups, each testing group having a target user share;
5	for each test group, a sequence of conditions to be applied to users in
6	the test group;
7	for each condition of each test group, advertising treatments, each
8	advertising treatment specifying an advertising message, each advertising treatment having a
9	treatment subgroup having a target user share;
10	receiving advertising requests, each advertising request identifying a user;
ŀŪ	for each received advertising request:
1.Ū 1.j 12 <u>.</u>	if the user identified by the advertising request has not yet been assigned
13	to a test group and treatment subgroups,
13.	assigning the identified user to one testing group selected in order
15	to maintain the actual user shares of the testing groups near the target user shares;
1 <u>6</u>	for each condition of the assigned test group, assigning the
17	identified user to one treatment subgroup for the condition selected in order to maintain the
180 130	actual user shares of the treatment subgroups for the condition near the target user shares of
[] 19	the treatment subgroups for the condition;
20	applying the sequence of conditions for the test group to which the user
21	is assigned; and
22	replying to the advertising request with the advertising message
23	specified by the treatment of the treatment subgroup to which the identified user is assigned
24	for the first condition satisfied in the applied sequence of conditions.
1	2. A method in a computing system for providing targeted advertising
2	messages, comprising:
3	receiving advertising requests, each advertising request identifying a user;

4	for each received advertising request, applying a sequence of conditions to
5	information relating to the identified user; and
6	replying to the advertising request with an advertising message associated with
7	the first condition in the applied sequence that is satisfied.
1	3. The method of claim 2, further comprising selecting a sequence of
2	conditions to apply from a plurality of sequences of conditions based upon the identity of the
3	identified user.
1	4. The method of claim 2, further comprising selecting an advertising
2	message to reply with from a plurality advertising messages associated with the first
3	condition in the sequence that is satisfied based upon the identity of the identified user.
	5. A computing system for providing targeted advertising messages, comprising:  an advertising request receiver that receives advertising requests, each advertising request identifying a user;  a condition application subsystem that, for each received advertising request, applies a sequence of conditions to information relating to the identified user; and an advertising message subsystem that replies to the advertising request with an advertising message associated with the first condition in the sequence that is satisfied.
11 22 33 44 55 66 77 88	6. A method in a computer system for targeting advertising messages to users, comprising:  receive an advertising request originating with an identified user; reading one or more variables relating to the identified user; applying one or more of a set of conditions to the read variables to identify an advertising approach to pursue with the identified user; and responding to the received advertising request in accordance with the identified approach.

advertising message corresponding to the identified approach.

The method of claim 6 wherein the responding involves displaying an

The method of claim 6 wherein variables relating global conditions are

The method of claim 13 wherein variables relating to the current time

1

2

3

4

5

read.

One or more computer memories collectively containing an advertising 15. targeting data structure, comprising a plurality of entries, each entry corresponding to a user and containing:

information identifying a test group to which the user belongs, the identified test group indicating which of a plurality of sequences of conditions will be applied when an

advertising request originating with the user is received; and 6

1

2

13.

14.

10	
1	

3

4

5

6

7

8

9

for each of the conditions of the indicated sequence of conditions, information identifying a treatment subgroup to which the user belongs, the identified treatment subgroup indicating which of a plurality of advertising treatments will be applied when the condition is the first condition in the sequence of conditions to be satisfied.

16. A method in a computing system for providing targeted advertising messages, utilizing a targeting plan specifying test groups, each testing group having a target user share; for each test group, one or more conditions to be applied to users in the test group; and, for each condition of each test group, advertising treatments, each advertising treatment having a treatment subgroup having a target user share;

receiving advertising requests, each advertising request identifying a user; for each received advertising request:

if the user identified by the advertising request has not yet been assigned to a test group and treatment subgroups,

assigning the identified user to one testing group selected in order to maintain the actual user shares of the testing groups near the target user shares; and

for each condition of the assigned test group, assigning the identified user to one treatment subgroup for the condition selected in order to maintain the actual user shares of the treatment subgroups for the condition near the target user shares of the treatment subgroups for the condition.

17. A method in a computer system for performing dynamic user targeting, comprising:

identifying a plurality of opportunities to target a selected user; for each identified opportunity,

applying a set of conditions to information relating to the identified user in order to place the user in one of a plurality of user segments for the extent of the opportunity; and

for the extent of the opportunity, targeting the user as part of the user segment in which the user was placed,

such that, at each new targeting opportunity, the user may be placed in a different user segment than the user was placed in at the previous targeting opportunity.



14

2

3

4 5

6

7

8

10

8

2

comprising:


3	for an advertising targeting program having a plurality of independent
4	dimensions, selecting a dimension in which to perform a comparison;
5	for user targeting effectiveness metrics each having a value in each of the
6	independent dimensions, aggregating the metrics for each value of the selected dimension;
7	and
8	comparing the different values of the selected dimension by comparing the
9	corresponding aggregated metrics.
1	19. The method of claim 18 wherein the selected dimension is comprised of
2	two or more testing groups each corresponding to a different user data analysis approach, and
3	wherein the effectiveness of the different user data analysis approaches is compared.
10	$\dot{l}$
i i	20. The method of claim 18 wherein the selected dimension is comprised of
	two or more advertising messages all displayed to users in the same segment, and wherein
3 .≟	the effectiveness of the different advertising messages for users in the segment is compared.
j.±	
TU Lu	21. One or more computer memories collectively containing an advertising
2	targeting result data structure reflecting the result of targeting using test groups, conditions
3	for each test groups, and treatment subgroups for each condition, the data structure
4	comprising:
5	for each distinct combination of (a) one of the test groups and (b) one treatment
6	subgroup for each of the conditions for the test group, an advertising effectiveness metric
7	aggregated across all users that are assigned to the test group and the treatment subgroup for
8	each of the conditions for the test group,
9	such that, to determine a level of effectiveness of the conditions of a test group, the
10	effectiveness metrics for users assigned to that test group may be aggregated,
11	and such that, to determine a level of effectiveness of a treatment of a treatment subgroup,

A method in a computer system for analyzing user targeting results,

the effectiveness metrics for users assigned to that treatment may be aggregated.

12

18.



demographic information.

ïU

29. The method of claim 27, further comprising receiving behavioral information describing the behavior of the customer, and wherein the profile is compiled using the received behavioral information.

No par